

Follow the official guide to configure a custom domain via **Azure Front Door**.

### 1) Rule Set: AddApiDogHeaders

- Action: Request header → Append
- Header name: X-Apidog-Docs-Site-ID
- Header value: 759406

The screenshot shows the 'Rule set configuration' page in the Microsoft Azure portal. The rule set name is 'AddApiDogHeaders'. Under the 'Rules' section, there is one rule with the following configuration:

THEN	Action	Operator *	Header name *	Header value *
	Request header	Append	X-Apidog-Docs-Site-ID	759406


### 2) Origin:

- Name: apidog-origin
- Origin type: Custom
- Host name: 759406.apidog.io
- Origin host header: (blank)
- HTTP port: 80
- HTTPS port: 443
- Certificate validation: Disabled
- Status: Enabled

The screenshot shows the 'Update origin' page in the Microsoft Azure portal. The origin is named 'apidog-origin' and is of type 'Custom'. The configuration is as follows:

Field	Value
Name	apidog-origin
Origin type *	Custom
Host name *	759406.apidog.io
Origin host header	(blank)
Certificate subject name validation	<input type="checkbox"/> Enable the validation
HTTP port *	80
HTTPS port *	443
Priority *	1
Weight *	1000
Status	<input checked="" type="checkbox"/> Enable this origin

- 3) Origin Group: apidog-origin-group
- Load balancing: Sample 4, Success 3, Latency 50




4) Domain:

Domain name: docs.ektar.com

Field	Value
HTTPS	Enabled
TLS policy	TLS v1.2_2023

Users will access via **HTTPS only** → Secure.



5) Route: adcb-ekshield-docs-route

Field	Value
Name	adcb-ekshield-docs-route
Enable route	Checked
Domains	adcb-ekshield-docs-route-btcneucwbsh7d7bx.z01.azurefd.net docs.ektar.com
Patterns to match	/adcb-ekshield-docs/*
Accepted protocols	HTTP and HTTPS
Redirect	Redirect all traffic to use HTTPS
Origin group	apidog-origin-group
Origin path	(leave blank)
Forwarding protocol	HTTP only
Caching	Disabled
Rules	AddApiDogHeaders

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

ariharasudhan@ektar.co...  
EKTAR TECHNOLOGIES LLC

Home > fd-non-prod-storage > Consider having at least two origins > fd-non-prod-storage | Front Door manager >

Update route ...

adcb-ekshield-docs-route

A route maps your domains and matching URL path patterns to a specific origin group. [Learn more](#)

Name

adcb-ekshield-docs-route

Endpoint

adcb-ekshield-docs-route-btcneucwbsh7d7bx.z01.azurefd.net

Enable route

☒

Domains

Domains \*

2 selected

[Add a new domain](#)

Patterns to match ⓘ

/adcb-ekshield-docs/\*

/path

Accepted protocols \*

HTTP and HTTPS

Redirect

☒ Redirect all traffic to use HTTPS

Origin group

Origin group \*

apidog-origin-group

[Add a new origin group](#)

Origin path

Forwarding protocol \*

☒ HTTP only

☐ HTTPS only

Update

Cancel

Close

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

ariharasudhan@ektar.co...  
EKTAR TECHNOLOGIES LLC

Home > fd-non-prod-storage > Consider having at least two origins > fd-non-prod-storage | Front Door manager >

Update route ...

adcb-ekshield-docs-route

A route maps your domains and matching URL path patterns to a specific origin group. [Learn more](#)

Name

adcb-ekshield-docs-route

Endpoint

adcb-ekshield-docs-route-btcneucwsh7d7bxz01.azurefd.net

Enable route

☒

Domains

Domains \*

2 selected

Patterns to match

Accepted protocols \*

Redirect

Available domains

adcb-ekshield-docs-route-btcneucwsh7d7bxz01.azurefd.net

docs.ektar.com

Available domains (unvalidated)

New domains

Origin group

Origin group \*

apidog-origin-group

Add a new origin group

Origin path

Forwarding protocol \*

☒ HTTP only

☐ HTTPS only

Update

Cancel

Close

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

ariharasudhan@ektar.co...  
EKTAR TECHNOLOGIES LLC

Home > fd-non-prod-storage > Consider having at least two origins > fd-non-prod-storage | Front Door manager >

Update route ...

adcb-ekshield-docs-route

Add a new domain

Patterns to match

/adcb-ekshield-docs/\*

/path

Accepted protocols \*

HTTP and HTTPS

Redirect

☒ Redirect all traffic to use HTTPS

Origin group

Origin group \*

apidog-origin-group

Add a new origin group

Origin path

Forwarding protocol \*

☒ HTTP only

☐ HTTPS only

☐ Match incoming request

Caching

☐ Enable caching

Rules

Select rule sets to apply to this route. Rule sets are executed in the order shown, move rule sets up or down to prioritize.

Move to top

Move up

Move down

Move to bottom

Delete

#.

Rule set

1 AddApiDogHeaders

Update

Cancel

Close